ZRT 智锐通

Small size compared with 4U chassis

470mm

427mm

178mm

IPC-883T

285mm

225mm

98mm

MIN-EC10

USB USB PWR-SW

Support up to 120W GPU card

ZRT 智锐通

High expandability

Expandable for:
➢ 2 x USB2.0
➢ 1 x COM
➢ 1 x HDMI
➢ 1 x Wifi/5G

Expandble for:
➢ SDI input
➢ 1 x half height
  PCIe x4
➢ or 2 x half height
  PCIe x2

Expandable for:

➢ 2.5" hard drive

Bottom designed for easily exchanging RAM and M.2 storage

Convenience

6pcs 6mm diameter copper tube

Sideways-anti-dust structure

3pcs 4028 cooling fans

quiet design lower than **40db**

ZRT 智锐通

Pass the anti-static testing, meeting medical standards

Front panel plastic PC material

Functional ports are anti-static processed.

Compatible motherboards:

ZRT 智锐通

EMA-7103

Intel Tiger Lake-H i5/i7/i9 Series

- PCH QM580
- Max 64G DDR4
- 3 x M.2
- 1 x PCIe 4x
- 1 x SATA3.0

- 1 x MXM3.1
- 1 x DP
- 1 x eDP
- 1 x LVDS
- 1 x HDMI

- 5 x USB3.0
- 2 x USB2.0
- 2 x RJ45
- 1 x RS232
- mITX(170*170mm)

EMA-7102

Intel Coffee Lake-H i3/i5/i7 Series

- PCH QM370
- Max 64G DDR4
- 3 x M.2
- 1 x PCIe 4x
- 1 x SATA3.0

- 1 x MXM3.1
- 1 x DP
- 1 x eDP
- 1 x LVDS
- 1 x HDMI

- 5 x USB3.0
- 2 x USB2.0
- 2 x RJ45
- 1 x RS232
- mITX(170*170mm)